

Beldos offers a range of versatile volumetric stainless steel depositors with optional attachments for depositing, injection, layering and decoration. Beldos depositors will replace your pastry bag, spoon or a measuring cup and will become the most reliable, easy-to-use and intelligent equipment at your production!

- 1. The Beltop depositor is available in two series:
- 275 5-275 ml per deposit
- 670 5-670 ml per deposit
- 2. Design features:
- mounted on height adjustable feet
- hoppers: 18 | / 25 |
- 2 operation modes:
- foot pedal
- handgun switch



everyone can work with it





CLICK HERE TO WATCH THE MOVIE



low investment

SPECIFICATIONS

		Beltop 275	Beltop	o 670	
	POWER	Air: 29 I/min at 30 deposits/min, 7 Bar/102 PSI	deposit	/min at 30 ts/min, 102 PSI	
	DEPOSIT RANGE	5-275 ml	5-67	70 ml	
d	eposit speed: up to 120 eposits/min	max Ø	le size: 2,5 cm		ss steel
fas	st, accul	ate, dosing 181/251 conical or vert		cl	quick eaning
dean	& ever	18 l / 25 l conical or vert)
U.		hoppers	produ	uct cylinder	
too, asse	more th. nozzles av I-Free Mbly	an 60	DEPOSIT V Cylinder size mm 28 40 52 70 85	30 151 100 275 200 -	series 670 olume 60 140 240 430 670
MEDIUM t COLD t° HOT t°	tion cylinder ° 0° - 60° C -8° - 0° C above 60°	c	adjust the speed	« • • · · · · · · · · · · · · · · · · ·	able

÷.





increased production efficiency





save ingredients by correct dosing

